

Table 1. Continued	
Variable	Mean (SD)
Age	34.5 (10.5)
Gender	Male 50.0%
Marital status	Married 65.0%
Education	High school 15.0%
Occupation	Unemployed 10.0%
Income	\$10,000-\$20,000 15.0%
Health status	Good 60.0%
Stress level	High 45.0%
Life satisfaction	Low 30.0%
Depression	Major 10.0%
Anxiety	Generalized 15.0%
Substance use	Alcohol 20.0%
Smoking	Smoker 35.0%
Exercise	Regular 10.0%
Diet	Healthy 25.0%
Sleep	Good 40.0%
Work-life balance	Low 35.0%
Family support	Low 20.0%
Community involvement	Low 15.0%
Religious/spiritual beliefs	Religious 45.0%
Personal growth	Low 25.0%
Resilience	Low 30.0%
Optimism	Low 20.0%
Self-efficacy	Low 15.0%
Perceived stress	High 40.0%
Coping strategies	Problem-focused 35.0%
Emotional regulation	Low 25.0%
Interpersonal relationships	Low 20.0%
Life goals	Low 15.0%
Meaning in life	Low 10.0%
Existential concerns	Low 5.0%
Transcendental experiences	Low 5.0%
Philosophical beliefs	Low 5.0%
Artistic expression	Low 5.0%
Volunteering	Low 5.0%
Travel	Low 5.0%
Learning new skills	Low 5.0%
Reading	Low 5.0%
Writing	Low 5.0%
Music	Low 5.0%
Dance	Low 5.0%
Gardening	Low 5.0%
Cooking	Low 5.0%
Handicrafts	Low 5.0%
Collecting	Low 5.0%
Fishing	Low 5.0%
Hunting	Low 5.0%
Boating	Low 5.0%
Swimming	Low 5.0%
Walking	Low 5.0%
Yoga	Low 5.0%
Meditation	Low 5.0%
Prayer	Low 5.0%
Religious practices	Low 5.0%
Spiritual practices	Low 5.0%
Philosophical practices	Low 5.0%
Artistic practices	Low 5.0%
Volunteering practices	Low 5.0%
Travel practices	Low 5.0%
Learning practices	Low 5.0%
Reading practices	Low 5.0%
Writing practices	Low 5.0%
Music practices	Low 5.0%
Dance practices	Low 5.0%
Gardening practices	Low 5.0%
Cooking practices	Low 5.0%
Handicrafts practices	Low 5.0%
Collecting practices	Low 5.0%
Fishing practices	Low 5.0%
Hunting practices	Low 5.0%
Boating practices	Low 5.0%
Swimming practices	Low 5.0%
Walking practices	Low 5.0%
Yoga practices	Low 5.0%
Meditation practices	Low 5.0%
Prayer practices	Low 5.0%
Religious practices	Low 5.0%
Spiritual practices	Low 5.0%
Philosophical practices	Low 5.0%
Artistic practices	Low 5.0%
Volunteering practices	Low 5.0%
Travel practices	Low 5.0%
Learning practices	Low 5.0%
Reading practices	Low 5.0%
Writing practices	Low 5.0%
Music practices	Low 5.0%
Dance practices	Low 5.0%
Gardening practices	Low 5.0%
Cooking practices	Low 5.0%
Handicrafts practices	Low 5.0%
Collecting practices	Low 5.0%
Fishing practices	Low 5.0%
Hunting practices	Low 5.0%
Boating practices	Low 5.0%
Swimming practices	Low 5.0%
Walking practices	Low 5.0%
Yoga practices	Low 5.0%
Meditation practices	Low 5.0%
Prayer practices	Low 5.0%
Religious practices	Low 5.0%
Spiritual practices	Low 5.0%
Philosophical practices	Low 5.0%
Artistic practices	Low 5.0%
Volunteering practices	Low 5.0%
Travel practices	Low 5.0%
Learning practices	Low 5.0%
Reading practices	Low 5.0%
Writing practices	Low 5.0%
Music practices	Low 5.0%
Dance practices	Low 5.0%
Gardening practices	Low 5.0%
Cooking practices	Low 5.0%
Handicrafts practices	Low 5.0%
Collecting practices	Low 5.0%
Fishing practices	Low 5.0%
Hunting practices	Low 5.0%
Boating practices	Low 5.0%
Swimming practices	Low 5.0%
Walking practices	Low 5.0%
Yoga practices	Low 5.0%
Meditation practices	Low 5.0%
Prayer practices	Low 5.0%
Religious practices	Low 5.0%
Spiritual practices	Low 5.0%
Philosophical practices	Low 5.0%
Artistic practices	Low 5.0%
Volunteering practices	Low 5.0%
Travel practices	Low 5.0%
Learning practices	Low 5.0%
Reading practices	Low 5.0%
Writing practices	Low 5.0%
Music practices	Low 5.0%
Dance practices	Low 5.0%
Gardening practices	Low 5.0%
Cooking practices	Low 5.0%
Handicrafts practices	Low 5.0%
Collecting practices	Low 5.0%
Fishing practices	Low 5.0%
Hunting practices	Low 5.0%
Boating practices	Low 5.0%
Swimming practices	Low 5.0%
Walking practices	Low 5.0%
Yoga practices	Low 5.0%
Meditation practices	Low 5.0%
Prayer practices	Low 5.0%
Religious practices	Low 5.0%
Spiritual practices	Low 5.0%
Philosophical practices	Low 5.0%
Artistic practices	Low 5.0%
Volunteering practices	Low 5.0

5 This application contains subject matter, which is related to the subject matter of the following application. The below listed application is assigned to the same assignee as this application, and is hereby incorporated herein by reference in its entirety:

Technical Field

15 This invention relates, in general, to managing information, and in particular, to performing one or more aspects of managing the information within a public electronic environment, rather than within a private electronic environment.

20 Background Art

YOR920000593US1

information relating to the business. This information can be any information associated with the business including, for instance, information relating to business dealings, such as drafting and negotiating agreements.

5 Oftentimes, the business information is stored on a computer internal to the business, behind one or more firewalls. In order to access the information, connection to the internal computer is needed, as well as knowledge of the particular graphical user interfaces (GUI) used to
10 access the information. This synchronous connection to the internal computer causes delays, and the types of graphical user interfaces typically used are often limiting in their flexibility and ease of use. Further, the user is required to learn the paradigm of potentially numerous graphical user
15 interfaces.

Thus, a need exists for a capability that facilitates managing information off-line from the internal computer. A further need exists for a capability that does not force the users to employ a specific GUI paradigm to work with
20 information stored on the internal computer.

Summary of the Invention

The shortcomings of the prior art are overcome and additional advantages are provided through the provision of a method of managing information. The method includes, for
25 instance, identifying information to be managed; and managing the information within a public electronic

environment, wherein one or more aspects of managing the
information traditionally performed within a private
electronic environment are performed within the public
electronic environment off-line from the private electronic
5 environment.

As one example, the information includes a proposal for
a contract.

In a further aspect of the present invention, a method
of managing the creation of a proposal is provided. The
10 method includes, for instance, obtaining data for the
proposal from a private electronic environment; creating the
proposal at a public electronic environment disconnected
from the private electronic environment, the creating using
at least a portion of the obtained data; and providing the
15 proposal to the private electronic environment.

System and computer program products corresponding to
the above-summarized methods are also described and claimed
herein.

Advantageously, at least one feature of the present
invention enables one or more aspects of managing the
information to be performed off-line from a private
electronic environment, which is to ultimately receive the
information. This enables the information to be worked-on
25 in a user friendly environment, and does not require the
user to stay connected to the private electronic
environment.

Additional features and advantages are realized through the capabilities of the present invention. Other embodiments and aspects of the invention are described in detail herein and are considered a part of the claimed
5 invention.

Brief Description of the Drawings

The subject matter which is regarded as the invention is particularly pointed out and distinctly claimed in the claims at the conclusion of the specification. The
10 foregoing and other objects, features, and advantages of the invention are apparent from the following detailed description taken in conjunction with the accompanying drawings in which:

FIG. 1 depicts one example of a
15 communications environment incorporating and using aspects of the present invention;

FIG. 2 depicts further details of the communications environment of FIG. 1, in accordance with an aspect of the present
20 invention;

FIG. 3a depicts one embodiment of the logic associated with creating a proposal in a public electronic environment, in accordance with an aspect of the present invention;

FIG. 3b depicts one embodiment of a main menu utilized in accordance with an aspect of the present invention;

FIG. 3c depicts one embodiment of the logic associated with fetching inventory from a private electronic environment for the proposal of FIG. 3a, in accordance with an aspect of the present invention;

FIG. 4 depicts one embodiment of the logic associated with requesting approval of the proposal of FIG. 3a, in accordance with an aspect of the present invention;

FIG. 5 depicts one embodiment of the logic associated with approving the proposal of FIG. 3a for contract, in accordance with an aspect of the present invention;

FIG. 6 depicts one embodiment of the logic associated with obtaining status regarding the proposal of FIG. 3a, in accordance with an aspect of the present invention;

FIG. 7 depicts one embodiment of the logic associated with maintaining a proposal, in accordance with an aspect of the present invention;

FIG. 8 depicts one embodiment of the logic associated with administering a contract, in accordance with an aspect of the present invention; and

5 FIG. 9 depicts one embodiment of the logic associated with obtaining reports, in accordance with an aspect of the present invention.

Best Mode for Carrying Out the Invention

10 In accordance with a feature of the present invention, one or more aspects of managing information traditionally performed within a private electronic environment are now performed at a public electronic environment off-line from the private electronic environment.

15 For example, in accordance with a feature of the present invention, a proposal for a contract (such as a sales contract) is drafted and negotiated within the public electronic environment (e.g., at a web server) disconnected from the private electronic environment. The public electronic environment connects to the private environment
20 when it needs data, but then negotiates and drafts the proposal off-line from the private electronic environment. Then, after the proposal is in final form, the public environment connects to the private environment (e.g., a server internal to a corporation) to register the proposal
25 with the private electronic environment, as a contract.

In one embodiment, a public electronic environment 100 (FIG. 1) is coupled to a private electronic environment 102 via one or more firewalls 104. In one example, public electronic environment 100 includes a front-end system 106 having, for instance, at least one browser 108 and at least one server 110. Private electronic environment 102 includes a back-end system 112 having, for instance, one or more servers 114. Further details regarding the front-end system and back-end system are described with reference to FIG. 2.

As depicted in FIG. 2, browser 108 of the front-end system is coupled to server 110 via a communications medium 200. In one example, the browser is a web browser, such as Netscape; the server is a web server, such as the Lotus Domino Go Web Server running on the AIX operating system (offered by International Business Machines Corporation); and the communications medium is the Hypertext Transfer Protocol (HTTP).

In this particular example, the web server is secured requiring a logon id and password to use the features of the present invention. In particular, when a user connects to the system, the user is presented with a logon screen. In response to the user logging on, a session is created on the web server. Each session is uniquely identified by a session id, and each session stores state information, if any.

Running on the web server is Net.Data (offered by International Business Machines Corporation), which is

YOR920000593US1

configured for FastCGI (Common Gateway Interface)
invocation, and is used to access data stored on a database
202. The database is coupled to the server of the public
environment (i.e., the public server), and in one example,
5 is a DB2 database (e.g., a DB2 Universal Database (UDB),
offered by International Business Machines Corporation),
used for storing various data/information locally at the web
server. This data/information includes, for instance, user
profile data, proposals, and database connection
10 information. For example, a configuration file is used to
store database connection information, such as MQSeries
queue names, as parameters, as well as any other
configurable entities identified during the detail design.

The data/information is directly accessed by Net.Data
15 macros, and output is presented to the user in the form of
HTML pages, as examples. JavaScript may be used where
special client-side processing is desired. Further, in one
example, reports are presented in the Lotus 1-2-3
Spreadsheet format.

Also located on public server 110 is a messaging
20 manager 204 used in communicating between public server 110
and server 114 of the private environment (i.e., the private
server). In one example, the messaging manager is an
MQSeries Queue Manager managing communication with the
25 private server through a communications medium 206, such as
MQSeries channels. In particular, messaging manager 204 is
coupled to a messaging manager 208 of private server 114 via
the communications medium. (MQSeries is a product offered

by International Business Machines Corporation, and is described in an IBM publication entitled "MQSeries Application Programming Guide", Publication No. SC33-0807-12, Nov. 2000, which is hereby incorporated herein
5 by reference in its entirety.)

The messaging managers facilitate access to data on the private server. For example, programs on the web server make requests to the private server by writing data to a request queue associated with the messaging manager. The
10 data is read from the request queue by a reformat component 210 of the private server. The reformat component (e.g., a program module) reformats the transactions (e.g., MQSeries transactions) into a format understood by the private server, and makes a call (e.g., a Remote Function Call
15 (RFC), which can be called from outside the application) 212 to the appropriate module 214 (e.g., an Enterprise Resource Planning system, such as SAP) on the private server. The reformat component then writes the output from SAP to a reply queue, also associated with the messaging manager.
20 The requesting web server program then reads the output from the reply queue.

One embodiment of the reformat component is further described in a co-filed, U.S. Patent Application entitled "Method, System and Program Product For Synchronous
25 Communication Between A Public Electronic Environment And A Private Electronic Environment", Mantena et al., (IBM Docket No. YOR920000555US1), Serial No. _____, which is hereby incorporated herein by reference in its entirety.

YOR920000593US1

In accordance with a feature of the present invention, one or more aspects of managing information are performed at a front-end system rather than at a back-end system. In particular, various tasks or aspects of management that were
5 previously performed while connected to the private server are now performed off-line from the private server. These aspects include various steps of, for instance, creating a proposal for a contract and/or maintaining the proposal.

While the embodiments described herein relate to
10 managing a sales proposal, the invention is not limited to such an embodiment. Further, although various types and aspects of management are described; again, the invention is not limited to such types and aspects. Many other types and aspects of management, as well as other types of information
15 traditionally performed and managed at the private server can now be performed and managed at the public server, and thus, are considered a part of the claimed invention.

One example of the logic associated with creating a proposal on a public server, using, for instance, a web
20 portal, is described with reference to FIG. 3a. Initially, a user initiates a connection with the web server, STEP 300. For example, an internet browser is started and the user connects to the particular web server URL used for the present invention (referred to herein as the OPPT URL). In
25 this example, the web server is secured, and thus, the user logs on via a particular registration procedure, which uses a user id and password to maintain security. After logging on, a main menu is displayed.

YOR920000593US1

Referring to FIG. 3b, a main menu 301 includes various actions that can be performed by the user. In one example, these actions are presented to the user in a tool bar, and include, for instance, user profile maintenance, proposal
5 creation, proposal maintenance, proposal approval, contract administration and reports. Various of these actions are described in further detail herein.

Returning to FIG. 3a, at the main menu, the user selects "Proposal Creation," which brings up one or more
10 additional displays, STEP 302. At these additional displays, the user enters any required or desired data for the proposal, STEP 304. This data can include, for instance, a proposal name, contract start date, contract end date, contract period beginning, contract period ending,
15 proposal type, billing frequency, Time Value of Money (TVM) or cost of money rate (if applicable), anniversary contract amount (if applicable), variance cap amounts or percentages (if applicable), planned growth (if applicable), maximum limit (if applicable), distribution channel, and/or any
20 other desired information.

Subsequent to providing the data, the user presses "Next" to obtain another display of selections. At this display screen, the user selects "Fetch Customer Lists", STEP 306. The fetch customer lists request generates an
25 MQSeries call, which is translated into a Remote Function Call into SAP, to retrieve existing customer lists from the private environment. Each customer list includes a list of customers within an enterprise. An enterprise can have many

5 legal entities or physical locations (e.g., plants,
distribution centers, headquarters...), and each of those
has a different customer number in the customer master
database of the contractor, even if it is part of the same
enterprise.

10 The result of the fetch customer lists request is
stored in the local web server DB2 database for local
processing. After fetching the customer lists, the desired
customer list is selected therefrom and retrieved from the
local DB2 database, STEP 308. This customer list includes
one or more customers to be part of the contract (e.g., the
sites of Company A in a selected geographic region).

15 Thereafter, a sold-to party (i.e., the customer to sign
the proposal) is selected for the contract proposal, STEP
310. For example, the sold-to party is selected from a list
of potential sold-to parties or the appropriate sold-to
party is entered. Additionally, all the customers from the
customer list for which inventory should be retrieved from
the SAP are selected, STEP 312.

20 Next, the desired partner functions are selected, STEP
314. The partner functions include, for instance, the
parties associated with the proposal, such as the sold-to
party, the bill-to party (i.e., the customer that will
25 receive the invoice), the payer (i.e., the customer that
will pay the invoice), and the ship-to party (i.e., the
customer that will receive the goods). In one example, the
customer is the same in each instance, but in some cases,

YOR920000593US1

5 this is not true. For example, in a large organization, the
sold-to party is Company A at location W, the bill-to party
is Company A (or a subsidiary thereof) at location X, the
payer is Company A (or a subsidiary thereof) at location Y,
and the ship-to party is Company A (or a subsidiary thereof)
at location Z.

10 After the appropriate information is provided, the
proposal is saved, STEP 316. In particular, the contract
header information is stored on the local DB2 database.
Subsequently, the user fetches the inventory for the
specified customers, STEP 318. This inventory (e.g.,
licenses) is used as a basis for negotiating the proposal
between the user (customer) and the contractor.

15 One embodiment of the logic associated with fetching
inventory is described with reference to FIG. 3c. At the
main menu, the user selects "Proposal Maintenance," which
produces a list of all the proposals for all the customers
displayed. From this list, the desired proposal name
(hypertext) for a specific customer is selected, STEP 320.

20 Thereafter, the fetch inventory icon is selected, which
generates an MQSeries call, which is translated to a Remote
Function Call (RFC) into SAP, to retrieve the inventory for
the selected customers, STEP 322. The inventory includes,
for instance, a listing of the licenses/machines, etc., for
25 the selected customer(s). The result of this action is
stored on the local DB2 database, and a proposal detail

screen is provided, STEP 324. This concludes fetching the inventory from SAP.

After fetching the inventory, all the information needed for the proposal document has been entered. At this
5 time and/or during the entering phase, negotiations take place between the contractor and the customer. These negotiations and the filling in of the data are handled at the front-end, while disconnected from the back-end. The front-end only connects to the back-end, when data is
10 desired from the back-end. Other than that, the proposal is created off-line. This enables the proposal to be created in a user-friendly environment using the already known tools of the web. Also, it allows the proposal to be created, for the most part, off-line from the private server. This
15 reduces the delays inherent in synchronous connections.

In the above example, it is assumed that the proposal is created for an enterprise. However, this is not necessary. If the proposal is to be created for a single customer, instead of selecting the customer from a list, the
20 desired customer can be entered on the screen.

With a further feature of the present invention, after the proposal has been created, it is forwarded to an approver for approval. In one embodiment, the approver is a supervisor that has the final say as to whether the proposal
25 is acceptable to the contractor. One embodiment of the logic associated with sending the proposal for approval is described with reference to FIG. 4.

YOR920000593US1

In one example, the user selects "Proposal Maintenance" on a main menu of the web server to obtain a list of proposals for the customers. Then, the user clicks on the desired proposal name for a specific customer in order to
5 select the desired proposal to be approved, STEP 400. Thereafter, various data is obtained from the back-end system to ensure the proposal has up-to-date information, STEP 402. For instance, the inventory list for the customer is re-fetched from the SAP, along with price information, to
10 ensure the latest information is included in the proposal.

Subsequently, a registration screen is obtained, which requests certain information, such as the identification of the approver and the e-mail address of the approver, STEP
15 404. After providing this information, the user sends the proposal to the supervisor for approval, STEP 406. In one example, this is performed using a standard e-mail protocol.

In due course, an approver logs into the web server and checks to see if there are any proposals for approval. That is, the approver checks its e-mail messages to determine if
20 there are any proposals to be approved. If there are, the approver clicks on a list of proposals for approval, STEP 500, and selects the desired proposal from the list, STEP 502. If the approver is satisfied with the proposal, the approver accepts the proposal for contract registration,
25 STEP 504. For example, the approver clicks on "Accept", which generates an MQSeries call. The call is translated into a SAP RFC call to register the contract. The MQSeries

call includes the contract data to be transferred from the web server to the SAP. This concludes the approval process.

It is possible to check on the status of the proposal through a "Proposal Maintenance" option on the main menu.

- 5 In order to check on the proposal status, the desired proposal is selected with a check proposal status option by using a check box, STEP 600 (FIG. 6). By clicking on status, the status request is sent to the SAP via MQSeries. The SAP returns the status, which is displayed, STEP 602.
- 10 Further, the local DB2 database is updated with the new status.

In addition to the above, another feature of the invention includes maintaining the proposal locally on the web server, which is described with reference to FIG. 7.

- 15 The proposal maintenance function enables the user to modify an existing proposal (i.e., before it becomes a contract). As one example, the proposal is modified as a result of negotiations.

Referring to FIG. 7, initially the user selects

20 "Proposal Maintenance" on the main menu, and is thus, provided with a list of proposals, STEP 700. From that list, the user selects the desired proposal name, STEP 701, which causes one or more screens to be displayed. These screens are similar to the screens used to create the

25 proposal.

Thereafter, the user clicks on change proposal and changes any desired data, STEP 702. After the desired data is changed, the user saves the changed data, STEP 704.

Typically, once a proposal has been finalized,
5 submitted, and subsequently registered as a contract, the contract is administered in the back-end system. This includes billing the contract and other types of functions, which do not require intervention by the user/contract administrator. However, in some circumstances, the contract
10 may have to be changed in the back-end system. Thus, a feature of the present invention enables changes to contracts already registered with the back-end system. These changes are invoked as requests to the back-end system to perform the appropriate contract change action. Examples
15 of functions that may be performed include contract amendment, contract extension, contract renewal, contract replacement and contract cancellation. One embodiment of logic associated with administering a contract by a user on the web server is described with reference to FIG. 8.

Initially, "Contract Administration" is selected from
20 the main menu, STEP 800. Then, selected data is entered including, for instance, an optional selection date used to select contracts valid in a certain date range. Then, the desired contract name is selected from a list of contract
25 names, STEP 804. Thereafter, details associated with the selected contract name are modified, STEP 806. For example, details may be modified to reflect the current customer inventory. This may include, for instance, re-fetching

YOR920000593US1

inventory from the SAP, adding additional planning items,
and/or altering dates on existing line items.

In addition to the above, various reports may be
requested. These reports may be viewed on-line, printed
5 and/or downloaded to Lotus 1-2-3 Spreadsheets. As examples,
the reports may include a control report, which validates
users involved in the proposal creation, submission, and
approval; variance reports; contract attachment reports;
cash flow reports; account planning reports; discounted cash
10 flow reports; and amendment contract reports.

In one embodiment, to request a report, the user
selects the "Reports" action on the main menu, STEP 900, and
then selects a desired proposal name from a drop down list,
STEP 902. Thereafter, the user selects the desired report,
15 STEP 904, and then chooses whether to view, download and/or
save the report, STEP 906. This concludes the reporting
function on the web server.

Described in detail above is a capability that enables
one or more aspects of managing information to be performed
20 within a public electronic environment, rather than within a
private electronic environment. This enables an
asynchronous connection to be used when performing the
various aspects, and allows users to utilize a user-friendly
environment.

25 In accordance with a feature of the present invention,
an end-to-end solution for recurring charge proposal,

pricing and contract administration (contract management,
billing, revenue recognition) is provided for various types
of agreements. Proposals are created at the front-end
server, and then, once finalized, are forwarded to the
5 back-end server to create the contract. Once created, the
contract is administered in the back-end server, except for
various functions or requests that can be performed by the
user at the front-end. The back-end system uses a set of
indexed tables to maintain the data employed by the various
10 proposals/contracts.

In summary, the front-end web server performs the
following functions, as one example:

- 1) Contract Proposal:
 - Retrieve base inventory list;
 - 15 • Retrieve planned inventory list;
 - Calculate contract price and growth figures;
 - Manual planning (copy/paste items-price
alteration);
 - Prepare/supplement reports.
- 20 2) Contract Creation:
 - Submit to back-end.
- 3) Contract Administration:
 - Submit changes to back-end;
 - Amendment;
 - 25 • Extension;

YOR920000593US1

- Replacement;
- Cancellation.

At the back-end, the following functions are performed, as one example:

- 5 1) Base Maintenance:
 - Sales order processing;
 - Configuration/entitled price;
 - Quotation pricing (planned inventory).
- 10 2) Contract Proposal:
 - Retrieve/transmit base inventory;
 - Retrieve/transmit planned inventory.
- 3) Contract Creation:
 - Create contract;
 - Suppress billing.
- 15 4) Contract Administration:
 - Generate billing/accounting;
 - Contract change: amendment, extension, replacement, cancellation.

20 Advantageously, aspects of the present invention minimize access to the back-end system by pre-fetching data from the back-end system and storing it on the web server. This data is then used to create and/or maintain proposals on the front-end system. When the proposals are complete,

they are then forwarded to the back-end system for creation as a contract.

5 The present invention can be included in an article of manufacture (e.g., one or more computer program products) having, for instance, computer usable media. The media has embodied therein, for instance, computer readable program code means for providing and facilitating the capabilities of the present invention. The article of manufacture can be included as a part of a computer system or sold separately.

10 Additionally, at least one program storage device readable by a machine, tangibly embodying at least one program of instructions executable by the machine to perform the capabilities of the present invention can be provided.

15 The flow diagrams depicted herein are just examples. There may be many variations to these diagrams or the steps (or operations) described therein without departing from the spirit of the invention. For instance, the steps may be performed in a differing order, or steps may be added, deleted or modified. All of these variations are considered
20 a part of the claimed invention.

25 Although preferred embodiments have been depicted and described in detail herein, it will be apparent to those skilled in the relevant art that various modifications, additions, substitutions and the like can be made without departing from the spirit of the invention and these are

